

A Checklist of known ant species of Laos (Hymenoptera: Formicidae)

WEEYAWAT JAITRONG¹, BENOIT GUÉNARD², EVAN P. ECONOMO³,
NOPPARAT BUDDHAKALA⁴ AND SEIKI YAMANE^{5*}

¹ Thailand Natural History Museum, National Science Museum,
Technopolis, Khlong 5, Khlong Luang, Pathum Thani, 12120 Thailand
E-mail: polyrhachis@yahoo.com

² School of Biological Sciences, The University of Hong Kong,
Pok Fu Lam Road, Hong Kong SAR, China

³ Okinawa Institute of Science and Technology Graduate University,
1919-1 Tancha, Onna, Okinawa 904-0495, Japan

⁴ Biology Divisions, Faculty of Science and Technology, Rajamangala Univer-
sity of Technology Tanyaburi, Pathum Thani 12120 Thailand
E-mail: nopparat_b@rmutt.ac.th

⁵ Kagoshima University Museum, Korimoto 1-21-30, Kagoshima-shi,
890-0065 Japan

*Corresponding author's email: mayiopa0@gmail.com

ABSTRACT. Laos is one of the most undersampled areas for ant biodiversity. We begin to address this knowledge gap by presenting the first checklist of Laotian ants. The list is based on a literature review and on specimens collected from several localities in Laos. In total, 123 species with three additional subspecies in 47 genera belonging to nine subfamilies are listed, including 62 species recorded for the first time in the country. Comparisons with neighboring countries suggest that this list is still very incomplete. The provincial distribution of ants within Laos also show that most species recorded are from Vientiane Province, the central part of Laos while the majority of other provinces have received very little, if any, ant sampling. Many ant specimens collected from Laos are awaiting identification and future collections should provide many new species records.

Keywords: Formicidae, ants, checklist, new records, Laos

INTRODUCTION

Laos People's Democratic Republic (Laos) is a landlocked country located in Southeast Asia which borders China, Vietnam, Myanmar, Cambodia and Thailand. Although ant faunas are now known to some extent in several areas in Southeast Asia (e.g. China: Guénard & Dunn 2012; Vietnam: Eguchi et al. 2011; Thailand: Jaitrong & Nabhitabhata 2005; Cambodia: Hosoishi et al. 2013; Borneo: Pfeiffer et al. 2011; Yunnan: Liu et

al. 2015), the ants of Laos are largely unknown. A recent global analysis of gaps in our knowledge of ant biodiversity identified Laos as one of the least known countries in the world (Guénard et al. 2012), thus placing it as a top priority for ant biodiversity research. Santschi (1920b) first reported 28 ant species from several localities in this country. Over the following century, only a few species of ants have been described and added in the country (e.g. Ward 2001; Dill 2002; Roncin & Deharveng 2003; Bolton 2007; Jaitrong et al.

2011; Yamane & Jaitrong 2011; Jaitrong & Yamane 2013; Laciny et al. 2015; Hosoiishi & Ogata 2016); and currently, only 61 species have been listed.

We sought to increase knowledge of the ant fauna in Laos by compiling data on ant geographic distributions from a review of literature, and through new field surveys during 1997-2015. With this material we present the first preliminary checklist of the known ant species from the country in order to encourage future research on ants and biodiversity conservation in the region.

MATERIALS AND METHODS

The checklist was assembled through literature/data compilation, in addition to new field surveys. The data compilation included records from the GABI database, which includes data from over 8670 publications and other existing databases (e.g. Antweb 2015), with species distribution available for visualization through the website antmaps.org (Janicki et al. 2016). Separately, information given by other websites available (e.g. Antwiki) were also added here.

In addition, an extensive collection was acquired from several localities in Laos which are now deposited in the Natural History Museum of National Science Museum, Thailand (THNHM) and Seiki Yamane's Collection at Kitakyushu Museum of Natural History and Human History, Japan (SKYC). Most specimens were collected by Weeyawat Jaitrong and Seiki Yamane from two sites within Vientiane Province during May and June 2010. The first site was in Sivilay Village (18°15'N, 102°27'E, ca. 200 m alt.), Naxaythong District, located approximately 20 km northwest of Vientiane City. The second site was in Phang Dang Village (18°14'N, 103°01'E, ca. 500 m alt.), Pak Ngum District, approximately 30 km northeast of Vientiane City. Specimens collected in various parts of the country by Mr. Haruo Fukuda and Dr. Yukino Ochiai were also examined. The specimens were identified by W. Jaitrong and Sk. Yamane using identification keys created for other Southeast Asian ants (e.g. Ward 2001; Bolton 2007; Eguchi 2008; Hosoiishi & Ogata 2009a; Jaitrong & Yamane 2011; Jaitrong et al. 2011; Schmidt & Shattuck 2014;

Hosoiishi & Ogata 2016). Furthermore, Dr. Stefan P. Cover of the Museum of Comparative Zoology, Cambridge, Massachusetts, U.S.A. (MCZC) kindly offered us records of specimens of some species collected by David Pick in Laos that were identified and managed by Dr. Cover.

Supposed biological species (not identified as known species) are not included in the list. Species validity, spelling and authority have been checked in Bolton's Synopsis of the Formicidae and Catalogue of Ants of the World (Bolton 2015). The list is arranged alphabetically by subfamily, genus and species. Material examined and distributions are given for the listed species. The species previously recorded from Laos are marked with “*”.

RESULTS AND DISCUSSION

In the present paper, 123 named species and additional three subspecies are listed for 47 genera belonging to nine subfamilies from Laos (Table 1). Among them, 62 species are recorded for the first time in the country. The most speciose subfamily is the Myrmicinae with around 37 percent of all genera and 30 percent of all species, followed by Formicinae, Ponerinae, Dolichoderinae and Dorylinae respectively (see Table 1). Worldwide, currently 16 subfamilies, 327 genera and 15,050 species are known in Formicidae, excluding fossil taxa (Bolton, 2015). Thus, to date the record in Laos covers only 0.8 percent of all known ant species in the world, though this may in part be a result of the incompleteness of investigation. Our material contains many other species identified only at the genus level; and thus the number of species is likely to increase once these are identified. The genera collected for which no species could be identified are: *Aphaenogaster*, *Calyptomyrmex*, *Hypoponera*, *Nylanderia*, *Paraparatrechina*, *Philidris*, *Plagiolepis*, *Pre-nolepis*, *Pseudolasius*, *Rhopalomastix*, *Strumigenys* and *Vollenhovia*. As a result, 58 genera have been recorded from Laos for now. Many other genera widespread in the region (e.g. *Acanthomyrmex*, *Buniapone*, *Chronoxenus*, *Cryptopone*, *Dilobocondyla*, *Discothyrea*, *Emeryopone*, *Gauromyrmex*, *Gesomyrmex*, *Kartidris*, *Lepisiota*, *Leptanilla*, *Lordomyrma*, *Mesoponera*, *Myopias*,

Table 1. Numbers and percentages of named species and genera recorded for each subfamily from Laos.

Subfamilies	No. of genera	%	No. of species	%
Amblyoponinae	1	2.2	1	0.8
Dolichoderinae	4	8.7	13	10.6
Dorylinae	3	6.5	10	8.1
Ectatomminae	1	2.2	2	1.6
Formicinae	7	15.2	33	26.8
Myrmicinae	17	37.0	37	30.0
Ponerinae	11	23.9	20	16.3
Proceratiinae	1	2.2	1	0.8
Pseudomyrmecinae	1	2.2	6	4.9
Total	46	100	123	100




Fig. 1. Known species diversity in the eighteen Laotian provinces: 1) Phongsali, 2) Luang Namtha, 3) Bokeo, 4) Oudomxay, 5) Luang Prabang, 6) Houaphan, 7) Sayabouly, 8) Vientiane capital & province, 9) Xaisomboun, 10) Xieng Khouang, 11) Bolikgamsai, 12) Khammouane, 13) Savannakhet, 14) Salavan, 15) Sekong, 16) Attapeu, 17) Champasak.

Myrmecina, *Myrmicaria*, *Myrmoteras*, *Mystrium*, *Parvaponera*, *Ponera*, *Proatta*, *Proceratium*, *Simopone*, *Stigmatomma*, *Sylophopsis*, *Vombisidris*) are expected in Laos. The predicted final figure for Laos is between 64 and 78 genera, based on an earlier study by Guénard and collaborators. (2012).

The most speciose and commonly encountered genera are *Polyrhachis* (19 species), *Camponotus* (8), *Aenictus* (7), *Crematogaster* (7), *Tetramorium* (6), *Dolichoderus* (5), *Techomyrmex* (5), *Carebara* (5), *Pheidole* (5) and *Tetraoponera* (5). Together, the ten most diverse genera include 59 percent of the known species from Laos. Twenty-seven genera (59%) are so far represented in Laos by a single species. There are some genera with large numbers of Lao species (according to the specimens deposited in THNHM and SKYC), but most of these remain unknown, as they have not been studied in detail and identified yet, and therefore are not represented in this paper. For instance, *Camponotus*, *Pheidole*, *Tetramorium* and *Monomorium* all have several unidentified species.

Santschi (1920b) recorded *Odontoponera transversa* (F. Smith, 1857) from Lad-Hom and Luang Prabang, Laos. According to Yamane (2009), this species is confined to Sundaland, i.e., Borneo, Java, Sumatra, Singapore and Malay Peninsula (including southern Thailand). *Odontoponera denticulata* has a wider distribution, ranging from the Philippines, through Sundaland to continental Southeast Asia such as Thailand, Myanmar, Vietnam, Laos, S. China, Bangladesh, India and Pakistan (Eguchi et al. 2005; Hannan 2007; Jaitrong & Nabhitabhata 2005; Yamane et al. 2003). Thus Lao specimens (Lat-Hom and Luang Prabang) cited as *O. transversa* in Santschi (1920b) should be identified as *O. denticulata*.


Over 80 percent of the known ant species from Laos are common in Southeast Asia. There are a few species, e.g. *Carebara petulens* (Santschi 1920), *Dolichoderus brevis* Santschi, 1920, *Polyrhachis emmae* Santschi, 1920 and *Leptogenys khammouanensis* Roncin et Deharveng, 2003, that thus far can be considered as endemic to Laos. Some species which to date have been recorded only from regions adjacent to Laos might occur in the country, but they are omitted from the list because their presence has

not been confirmed. For example, the common species, e.g. *Monomorium chinense* Santschi, 1925, *Ectomomyrmex astuta* (F. Smith, 1858) (= *Pachycondyla astuta*), and *Pheidole pieli* Santschi, 1925, are recorded from China, Vietnam and Thailand (Eguchi et al. 2005; Jaitrong & Nabhitabhata 2005; Guénard & Dunn 2012), but not from Laos. However, it is likely that this distribution gap exists due to incompleteness of sampling in the country.

In the ant collections of THNHM and SKYC, we recognized about 70 unidentified species from Laos, some of which seem to be new to science; a new species of *Caloptomyrmex* will be described soon (Jaitrong & Yamane, *in prep.*). Specimens of some genera, e.g., *Nylanderia*, *Pholidris*, *Paraparatrechina*, *Hypoponera*, *Vollenhovia* and *Strumigenys*, have not yet been identified to species.


The under-sampling in the country is particularly striking at the provincial level. Among the 18 provinces of Laos, seven regions have no ant records and six more have fewer than 10 records. The “best” sampled province, Vientiane, has only 91 recorded species, while the second best-sampled province, Luang Prabang, has only 34 (Fig. 1). These results show that the entire country is highly undersampled with virtually no sampling efforts for the southern and the north-western regions in particular. Yet, in light of the ant species richness found in neighboring regions (e.g. Vietnam: Eguchi et al. 2011, 2014; Yunnan province in China: Liu et al. 2015), many more species than mentioned in this paper (123+70) should be recognized in Laos in the future.

We carefully studied all the ant specimens collected by us from Laos. However, we present here only a first checklist of known species while intensive surveys are being planned. Future work performed in Laos should greatly expand the knowledge on ant diversity in this country. New intensive surveys of Laos are planned during 2016-2018 by Weeyawat Jaitrong and Seiki Yamane, which should help address this gap in knowledge. Without a doubt, many species and distribution records as well as biological information on ants from the country will increase knowledge beyond the initial checklist presented here.



Figs 2 – 19. 2-3, *Dolichoderus laotius*; 4-5, *Dolichoderus thoracicus*; 6-7, *Iridomyrmex anceps*; 8-9, *Tapinoma indicum*; 10-11, *Tapinoma melanocephalum*; 12-13, *Technomyrmex albipes*; 14-15, *Technomyrmex difficilis*; 16-17, *Technomyrmex kraepelini*; 18-19, *Technomyrmex modiglianii*.

Checklist of species**AMBLIOPONINAE** [1 genus, 1 species]***Myopopone castanea* (F. Smith, 1860b)*****Material examined.** None.**Distribution in Laos.** No further records (Santschi 1920b: 3; referred to as *M. mulleri* Bingh.)**DOLICHODERINAE** [4 genera, 13 species]***Dolichoderus affinis* Emery, 1889*****Material examined.** None.**Distribution in Laos.** Muong Pek (Santschi 1920b: 169, as *Dolichoderus affinis* var. *nigricans*, synonym of *D. affinis*).***Dolichoderus brevis* Santschi, 1920b*****Material examined.** None.**Distribution in Laos.** Vientiane (Santschi 1920b: 167) and Luang Prabang (Santschi 1920b: 167; Dill & Maschwitz 2002: 62).***Dolichoderus laotius* Santschi, 1920b*** (Figs 2-3)**Material examined.** Vientiane: Pak Ngum Dist., 300 m alt., Phang Dang Village, 12.VI.2010, Sk. Yamane leg. (SKYC).**Distribution in Laos.** Luang Prabang (Santschi 1920b: 170; Dill & Maschwitz 2002: 46), Muong Nya (Santschi 1920b: 170; Dill & Maschwitz 2002: 46), Hah Sampong (Dill & Maschwitz 2002: 46), Vientiane (new record).***Dolichoderus taprobanae* F. Smith, 1858*****Material examined.** None.**Distribution in Laos.** Muong Pek (Santschi, 1920b: 169, as *Dolichoderus taprobanae* var. *obscuripes*, synonym of *D. taprobanae*).***Dolichoderus thoracicus* (F. Smith, 1860a)*** (Figs 4-5)**Material examined.** Vientiane: Pak Ngum Dist., Phang Dang Village, 12.VI.2010, W. Jaitrong leg., WJT10-LAO-102 (THNHM); same loc., 12.VI.2010, Sk. Yamane leg. (SKYC); Naxaythong Dist., Sivilay Village, 11.VI.2010, W. Jaitrong leg., WJT10-LAO-99 (THNHM); same loc., 9.VI.2010, W. Jaitrong leg., WJT10-LAO-40 (SKYC, THNHM); same loc., 9.VI.2010, Sk. Yamane leg., LA10-SKY-004 (THNHM, SKYC); Tangon, 22.III.1998, H. Fukuda (SKYC). **Vang Vieng:** 10.III.1997, H. Fu-kuda leg. (SKYC, THNHM). **Phong Sali:** Muang Khoua, 22-24.VIII.2005, Y. Ochiai leg. (SKYC); Khoa dist., 1,600 m alt., 23.XII.2015, Y. Ochiai, LA15/16-YO-01 (SKYC). **Bolikhamsay:** Lak Sao (600-700 m alt.), 2.IV.1988, H. Fukuda leg. (SKYC). **Luang Prabang:** Kuangsi Waterfall Park, 16.XII.2015, W. Jaitrong leg. (THNHM).**Distribution in Laos.** Muong Pek (Santschi 1920b: 169, as *Dolichoderus bituberculatus* var. *emarginata* synonym of *D. thoracicus*); Phong Sali, Bolikhamsay, Vientiane, Vang Vieng, Luang Prabang (new record) and Xieng Khouang (Yoshitomi et al. 2014).***Iridomyrmex anceps* (Roger, 1863)** (Figs 6-7)**Material examined.** Vientiane: Pak Ngum Dist., Phang Dang Village, 14.VI.2010, W. Jaitrong leg. (SKYC, THNHM). **Oudomxay:** Namong Dist., Mai, III.2006, Y. Ochiai leg.**Distribution in Laos.** Oudomxay and Vientiane (new record).***Tapinoma indicum* Forel, 1895** (Figs 8-9)**Material examined.** Vientiane: Naxaythong Dist., Sivilay Village, 9.VI.2010, W. Jaitrong leg., WJT10-LAO-48 (THNHM, SKYC); same loc., 9.VI.2010, Sk. Yamane leg., LA10-SKY-018 (THNHM, SKYC); Somnuek Guesthouse, 3.VII.2012, D. Pick leg., #347 (MCZC). **Phong Sali:** Huei Pee (1000 m alt.), 19.VIII.2004, Y. Ochiai leg. (SKYC); Phongsali Hotel, 15.VIII.2012, D. Pick leg., #348 (MCZC). **Luang Prabang:** Santi Resort, 16.XII.2015, W. Jaitrong leg., LAO15-WJT-005 (THNHM).**Distribution in Laos.** Luang Prabang, Phong Sali and Vientiane (new record).***Tapinoma melanocephalum* (Fabricius, 1793)** (Figs 10-11)**Material examined.** Vientiane: Vientiane, 24.VIII.2003, Y. Ochiai leg. (SKYC); Pak Ngum Dist., Phang Dang Village, 14.VI.2010, Sk. Yamane leg. (THNHM, SKYC); Naxaythong Dist., Sivilay Village, 11.VI.2010, W. Jaitrong leg., WJT10-LAO-126 (THNHM, SKYC).**Distribution in Laos.** Vientiane (new record).***Technomyrmex albipes* (F. Smith, 1861)*** (Figs 12-13)**Material examined.** Vientiane: Pak Ngum Dist., Phang Dang Village, 12.VI.2010, Sk.



Figs 20 – 37. 20-21, *Technomyrmex yamanei*; 22-23, *Aenictus binghami*; 24-25, *Aenictus doydeei*; 26-27, *Aenictus fuchuanensis*; 28-29, *Aenictus hodgsoni*; 30-31, *Aenictus nishimurai*; 32-33, *Aenictus paradentatus*; 34-35, *Aenictus parahuonicus*; 36-37, *Cerapachys sulcinodis*.

Yamane leg. (THNHM, SKYC); Naxaythong Dist., Sivilay Village, 11.VI.2010, W. Jaitrong leg., WJT10-LAO-95 (THNHM, SKYC); same loc., 11.VI.2010, Sk. Yamane leg., ex dead twig, LA10-SKY-083 (THNHM, SKYC). **Luang Prabang:** Santi Resort, 16.XII.2015, W. Jaitrong leg., LAO15-WJT-006 (THNHM).

Distribution in Laos. Vientiane and Luang Prabang (new record), Xieng Khouang (Yoshitomi et al. 2014).

***Technomyrmex difficilis* Forel, 1892a** (Figs 14-15)

Material examined. Vientiane: Pak Ngum Dist., Phang Dang Village, 170 m alt., 14.VI.2010, Sk. Yamane leg., LA10-SKY-121 (THNHM, SKYC); Hadsaiphong Dist., Thana Village, 6.V.2010, W. Jaitrong leg., WJT10-LAO-206 (THNHM, SKYC). **Luang Prabang:** Santi Resort, 16.XII.2015, W. Jaitrong leg., LAO15-WJT-003 (THNHM).

Distribution in Laos. Vientiane and Luang Prabang (new record).

***Technomyrmex kraepelini* Forel, 1905** (Figs 16-17)

Material examined. Vientiane: Pak Ngum Dist., Phang Dang Village, 14.VI.2010, Sk. Yamane leg. (THNHM, SKYC); same loc., 14.VI.2010, W. Jaitrong leg. (SKYC); Naxaythong Dist., Sivilay Village, 10.VI.2010, W. Jaitrong leg. (THNHM).

Distribution in Laos. Vientiane (new record).

Technomyrmex modiglianii* Emery, 1900 (Figs 18-19)

Material examined. Bolikhamxay: Lak Sao, 6.III.1997, H. Fukuda leg. (THNHM, SKYC).

Distribution in Laos. Bolikhamxay (Bolton 2007: 92).

***Technomyrmex yamanei* Bolton, 2007** (Figs 20-21)

Material examined. Vientiane: Naxaythong Dist., Sivilay Village, 10.VI.2010, W. Jaitrong leg., WJT10-LAO-69 (THNHM, SKYC); same loc., WJT10-LAO-71 (THNHM, SKYC); same loc., 7.V.2010, W. Jaitrong leg., WJT10-LAO-236 (THNHM); same loc., 10.VI.2010, Sk. Yamane leg., LA10-SKY-033 (THNHM, SKYC); same data., LA10-SKY-034 (SKYC); same data, ex bamboo stem, nest in soil, LA10-SKY-039

(SKYC); same data, nest in soil, LA10-SKY-043 (SKYC); same data, night walk, LA10-SKY-063 (SKYC); same data, LA10-SKY-069 (SKYC). **Phong Sali:** Muang Khoua, 22-24.VIII.2005, Y. Ochiai leg. (SKYC).

Distribution in Laos. Phong Sali and Vientiane (new record).

DORYLINAE [3 genera, 10 species]

Aenictus binghami* Forel, 1900a (Figs 22-23)

Material examined. Vientiane: Pak Ngum Dist., Phang Dang Village, 12.VI.2010, W. Jaitrong leg., WJT10-LAO-15 (THNHM, SKYC); same loc. and date, Sk. Yamane, LA10-SKY-104 (THNHM, SKYC); same loc., 13.VI.2010, W. Jaitrong leg., WJT10-LAO-18 (THNHM).

Distribution in Laos. Vientiane (Jaitrong et al. 2011: 318; Jaitrong & Yamane 2011: 25).

Aenictus doydeei* Jaitrong et Yamane, 2011 (Figs 24-25)

Material examined. Vientiane: Naxaythong Dist., Sivilay Village, 10.VI.2010, W. Jaitrong leg., WJT10-LAO-13 (type series, THNHM, SKYC); same loc. and date, Sk. Yamane, night walk, LA10-SKY-056 (type series, THNHM, SKYC).

Distribution in Laos. Vientiane (Jaitrong et al. 2011: 319; Jaitrong & Yamane 2012: 53).

Aenictus fuchuanensis* Zhou, 2001 (Figs 26-27)

Material examined. Vientiane: Naxaythong Dist., Sivilay Village, 10.VI.2010, Sk. Yamane leg., LA10-SKY-058 (THNHM, SKYC).

Distribution in Laos. Vientiane (Jaitrong & Yamane 2012: 187).

Aenictus hodgsoni* Forel, 1901 (Figs 28-29)

Material examined. Vientiane: Naxaythong Dist., Sivilay Village, 10.VI.2010, W. Jaitrong leg., WJT10-LAO-11 (THNHM, SKYC); same loc. and date, Sk. Yamane leg., LA10-SKY-007 (THNHM, SKYC). **Luang Prabang:** Santi Resort, 16.XII.2015, W. Jaitrong leg., LAO15-WJT-001 (THNHM).

Distribution in Laos. Vientiane (Jaitrong et al. 2011: 321; Jaitrong & Yamane 2011: 35) and Luang Prabang (new record).

Aenictus nishimurai* Terayama et Kubota, 1993 (Figs 30-31)



Figs 38 – 55. 38-39, *Dorylus orientalis*; 40-41, *Gnamptogenys bicolor*; 42-43, *Gnamptogenys binghamii*; 44-45, *Acropyga butteli*; 46-47, *Anoplolepis gracilipes*; 48-49, *Camponotus carin*; 50-51, *Camponotus nicobarensis*; 52-53, *Camponotus rufoglaucus*; 54-55, *Oecophylla smaragdina*.

Material examined. Vientiane: Pak Ngum Dist., Phang Dang Village, 14.VI.2010, W. Jaitrong leg., WJT10-LAO-19 (THNHM, SKYC); same loc. and date, Sk. Yamane leg., LA10-SKY-129 (THNHM, SKYC).

Distribution in Laos. Vientiane (Jaitrong et al. 2011: 321; Jaitrong & Yamane 2012: 61).

Aenictus paradentatus* Jaitrong et Yamane, 2012 (Figs 32-33)

Material examined. Vientiane: Pak Ngum Dist., Phang Dang Village, 12.VI.2010, W. Jaitrong leg., WJT10-LAO-16 (THNHM); same loc., 14.VI.2010, WJT10-LAO-20 (THNHM, SKYC); same loc. and date, Sk. Yamane leg., LA10-SKY-126 (THNHM, SKYC); Naxaythong Dist., Sivilay Village, 10.VI.2010, W. Jaitrong leg., WJT10-LAO-12 (THNHM, SKYC); same loc. and date, Sk. Yamane leg., (THNHM, SKYC).

Distribution in Laos. Vientiane (Jaitrong et al. 2012: 136).

Aenictus parahuonicus* Jaitrong et Yamane, 2011 (Figs 34-35)

Material examined. Vientiane: Naxaythong Dist., Sivilay Village, 9.VI.2010, W. Jaitrong leg., WJT10-LAO-10 (THNHM); same loc. and date, Sk. Yamane, night walk, LA10-SKY-028 (THNHM, SKYC).

Distribution in Laos. Vientiane (Jaitrong & Yamane 2011: 19).

***Cerapachys sulcinodis* Emery, 1889** (Figs 36-37)

Material examined. Vientiane: Pak Ngum Dist., Phang Dang Village, W. Jaitrong leg., WJT10-LAO-107 (THNHM, SKYC); same loc. and date, Sk. Yamane, LA10-SKY-095 (SKYC).

Distribution in Laos. Vientiane (new record).

Dorylus laevigatus* F. Smith, 1857

Material examined. None.

Distribution in Laos. Luang Prabang (Santschi 1920b: 160).

***Dorylus orientalis* Westwood, 1835** (Figs 38-39)

Material examined. Vientiane: Naxaythong Dist., Sivilay Village, 10.VI.2010, W. Jaitrong leg., WJT10-LAO-54 (THNHM, SKYC); same loc. and date, Sk. Yamane leg., LA10-SKY-035 (SKYC).

Distribution in Laos. Vientiane (new record).

ECTATOMMINAE [1 genus, 2 species]

***Gnamptogenys bicolor* (Emery, 1889)** (Figs 40-41)

Material examined. Vientiane: Pak Ngum Dist., Phang Dang Village, 14.VI.2010, Sk. Yamane (SKYC).

Distribution in Laos. Vientiane (new record).

***Gnamptogenys binghamii* (Forel, 1900b)** (Figs 42-43)

Material examined. Vientiane: Pak Ngum Dist., Phang Dang Village, 13.VI.2010, W. Jaitrong leg., WJT10-LAO-131 (THNHM, SKYC); same loc. and date, Sk. Yamane, rotting wood, LA10-SKY-117 (SKYC); Naxaythong Dist., Sivilay Village, 7.V.2010, W. Jaitrong leg., WJT10-LAO-250 (THNHM, SKYC). Phong Sali, Muang Khoua, 22-24.VIII.2005, Y. Ochiai (SKYC).

Distribution in Laos. Phong Sali and Vientiane (new record).

FORMICINAE [8 genera, 32 species, 1 sub-species]

***Acropyga butteli* Forel, 1912** (Figs 44-45)

Material examined. Vientiane: Pak Ngum Dist., Phang Dang Village, 13.VI.2010, W. Jaitrong leg., WJT10-LAO-143 (THNHM, SKYC); same loc., 14.VI.2010, Sk. Yamane leg., LA10-SKY-134 (SKYC).

Distribution in Laos. Vientiane (new record).


***Anoplolepis gracilipes* (F. Smith, 1857)** (Figs 46-47)

Material examined. Vientiane: Pak Ngum Dist., Phang Dang Village, 12.VI.2010, W. Jaitrong leg. (THNHM); Naxaythong Dist., Sivilay Village, 9.VI.2010, Sk. Yamane leg. (SKYC); vicinity of Vientiane, 5.V.1997, H. Fukuda leg. (SKYC). **Phong Sali:** Phong-sali Hotel, 15.VIII.2012, D. Pick leg., #348 (MCZC). **Luang Prabang:** Santi Resort, 16.XII.2015, W. Jaitrong leg. (THNHM); Luang Prabang City, 290 m alt., 03.I.2016, Y. Ochiai leg. (SKYC).

Distribution in Laos. Vientiane, Phong Sali and Luang Prabang (new record).

***Camponotus camelinus* (F. Smith, 1857)**

Material examined. Oudomxay: Namo Dist., Mai Naatan, 950 m alt., 21-26.VIII.2004, Y. Ochiai leg. (THNHM, SKYC).



Figs 56 – 73. 56-57, *Paratrechina longicornis*; 58-59, *Polyrhachis abdominalis*; 60-61, *Polyrhachis armata*; 62-63, *Polyrhachis cryptoceroides*; 64-65, *Polyrhachis dives*; 66-67, *Polyrhachis flavicornis*; 68-69, *Polyrhachis illaudata*; 70-71, *Polyrhachis laevis*; 72-73, *Polyrhachis phalerata*.

Phong Sali: Muang Khoua, 22-24.VIII.2005, Y. Ochiai leg. (SKYC).

Distribution in Laos. Oudomxay and Phong Sali (new record).

***Camponotus carin* Emery, 1889** (Figs 48-49)

Material examined. Vientiane: Pak Ngum Dist., Phang Dang Village, 12.VI.2010, W. Jaitrong leg., WJT10-LAO-117 (THNHM); same loc. and date, Sk. Yamane leg., LA10-SKY-107 (SKYC); Naxaythong Dist., Sivilay Village, 9.VI.2010, Sk. Yamane leg., nest in soil, LA10-SKY-006 (SKYC); same loc., 10.VI.2010, W. Jaitrong leg., WJT10-LAO-92 (THNHM, SKYC); same loc., 11.VI.2010, Sk. Yamane, ex termite mound (LA10-SKY-073); same loc., 7.V.2010, W. Jaitrong leg., WJT10-LAO-229 (THNHM, SKYC); same loc., 9.VI.2010, W. Jaitrong leg., WJT10-LAO-36 (THNHM, SKYC); same loc., 10.VI.2010, W. Jaitrong leg., WJT10-LAO-72 (THNHM, SKYC); Sadsaiphong Dist., Thana Village, 6.V.2010, W. Jaitrong leg., WJT10-LAO-204 (THNHM).

Oudomxay: Namo Dist., Mai Naatan (950 m alt.), 21-26.VIII.2004, Y. Ochiai (SKYC).

Distribution in Laos. Oudomxay and Vientiane (new record).

Camponotus dolendus* Forel, 1892b

Material examined. None.

Distribution in Laos. Thatom (Santschi 1920b: 174).

***Camponotus nicobarensis* Mayr, 1865** (Figs 50-51)

Material examined. Bolikhamxay: W. foot of Annamite Range nr Vientiane, 8.V.1997, H. Fukuda leg. (SKYC); Naxaythong Dist., Sivilay Village, 10.VI.2010, W. Jaitrong leg., WJT10-LAO-68 (THNHM, SKYC); same loc. and date, Sk. Yamane leg. (SKYC). **Phong Sali:** Muang Khoua, 22-24.VIII.2005, Y. Ochiai (SKYC).

Distribution in Laos. Bolikhamxay, Phong Sali and Vientiane (new record).

Camponotus parius* Emery, 1889

Material examined. None.

Distribution in Laos. Vientiane (Santschi 1924: 22, cited as *Camponotus rufoglaucus paria*).

Camponotus rufoglaucus* (Jerdon, 1851) (Figs 52-53)

Material examined. Vientiane: Pak Ngum Dist., Phang Dang Village, 12-13.VI.2010, Sk. Yamane leg. (THNHM, SKYC); Naxaythong Dist., Sivilay Village, 10.VI.2010, Sk. Yamane leg. (SKYC); same loc., 11.VI.2010, W. Jaitrong leg. (THNHM). **Phong Sali:** Khoua, 1000 m alt., 18.VIII.2004, Y. Ochiai leg. (SKYC).

Distribution in Laos. Phong Sali, Vientiane (new record) and Xieng Khouang (Yoshitomi et al. 2014).

Remarks. No taxonomic revision is available on the *C. rufoglaucus* group (*Myrmosericus*) in continental Asia. According to Bingham (1903) *C. dolendus* is a highland species, while *C. rufoglaucus* and *C. parius* occur in lower elevations and found together. We have applied the name *rufoglaucus* to the populations of continental Asia, adopting a wider concept of *rufoglaucus*. Careful comparison of all the castes and sexes is needed to evaluate the status of these three forms.

Camponotus singularis* (F. Smith, 1858)

Material examined. Oudomxay: Namo Dist., Mai Naatan, 950 m alt., 21-26.VIII.2004, Y. Ochiai leg. (SKYC). **Phong Sali:** Muang Khoua, 22-24.VIII.2005, Y. Ochiai leg. (SKYC).

Distribution in Laos. Luang Prabang (Santschi 1920b: 174, as *Camponotus camelinus* var. *singularis*); Oudomxay and Phong Sali (new record).

Camponotus variegatus fuscithorax* Dalla Torre, 1893

Material examined. None.

Distribution in Laos. Luang Prabang [Pak Vet] (Santschi 1920b: 173), Pak-Vet (Santschi 1924: 22).

Camponotus variegatus proles* Emery, 1925

Material examined. None.

Distribution in Laos. Luang Prabang (Santschi 1920b: 173; Emery 1925: 96).


***Colobopsis leonardi* Emery, 1889**

Material examined. Vientiane: Pak Ngum Dist., Phang Dang Village, 12.VI.2010, W. Jaitrong leg. (THNHM); same loc. and date, Sk. Yamane leg. (SKYC).

Distribution in Laos. Vientiane (new record).

Echinopla cherapunjiensis* Bharti et Gul, 2012

Material examined. None.



Figs 74 – 91. 74-75, *Polyrhachis proxima*; 76-77, *Polyrhachis tibialis*; 78-79, *Cardiocondyla wroughtonii*; 80-83, *Carebara affinis*; 84-85, *Carebara castanea*; 86-89, *Carebara diversa*; 90-91, *Carebara pygmaea*.

Distribution in Laos. Luang Nam Tha (Zettel & Laciny 2015: 113).

Oecophylla smaragdina* (Fabricius, 1775) (Figs 54-55)

Material examined. Vientiane: Pak Ngum Dist., Phang Dang Village, 12-13.VI.2010, Sk. Yamane leg. (SKYC, THNHM); Naxaythong Dist., Sivilay Village, 7.V.2010, W. Jaitrong leg. (SKYC, THNHM); Hadsaiphong Dist., Thana Village, 6.V.2010, W. Jaitrong leg. (THNHM); same loc., 9.VI.2010, Sk. Yamane leg. (SKYC); Ang Nam Ngum, 24.VIII.2003, Y. Ochiai leg. (THNHM). **Oudomxay:** Namo, Mai Naatan, 21-26.VIII.2004, Y. Ochiai leg. (SKYC, THNHM). **Lak Sao:** 600-700 m alt., 22.III.1998, H. Fukuda leg. (SKYC, THNHM). **Phong Sali:** Khoa, Huei Pee (1000 m alt.), Y. Ochiai leg. (SKYC); Muang Khoua, 22-24.VIII.2005, Y. Ochiai leg. (SKYC). **Luang Prabang:** Santi Resort, 17.XII.2015, W. Jaitrong leg. (THNHM); Luang Prabang City, 290 m alt., 03.I.2016, Y. Ochiai leg.

Distribution in Laos. Vientiane (Boulidam 2010; Itterbeeck et al. 2014), Bolikhamxay, Oudomxay, Luang Prabang (<https://www.flickr.com/photos/onefatmonkey/6542531847>), Khammouan (<https://www.flickr.com/photos/micche/6993419826>), Savannakhet (Yhoung-Aree & Viwatpanich 2005), Champasak (<https://www.flickr.com/photos/101244975>) and Bokeo (<https://www.flickr.com/photos/bartholomae/4060120523>).

***Paratrechina longicornis* (Latreille, 1802)** (Figs 56-57)

Material examined. Vientiane: Hadsaiphong, Naxaythong Dist., Thana sub-dist. 6.V.2010, W. Jaitrong leg. (SKYC); Sivilay Village, 9.V.2010, W. Jaitrong leg. (THNHM) same loc. and date, Sk. Yamane (SKYC); Somnuek Guesthouse, 3.VII.2012, D. Pick leg., #347 (MCZC). **Phong Sali:** Phongsali Hotel, 15.VIII.2012, D. Pick leg., #348 (MCZC). **Luang Prabang:** Santi Resort, 16.XII.2015, W. Jaitrong leg. (THNHM). **Luang Prabang:** Santi Resort, 16.XII.2015, W. Jaitrong leg. (THNHM).

Distribution in Laos. Vientiane, Phong Sali and Luang Prabang (new record).

***Polyrhachis abdominalis* F. Smith, 1858** (Figs 58-59)

Material examined. Vientiane: Pak Ngum Dist., Phang Dang Village, 13.VI.2010, W. Jaitrong leg. (THNHM); same loc. and date, Sk. Yamane leg. (SKYC). **Luang Prabang:** Kuangsi Waterfall Park, 16.XII.2015, W. Jaitrong leg. (THNHM).

Distribution in Laos. Vientiane and Luang Prabang (new record).

***Polyrhachis armata* (Le Guillou, 1842)** (Figs 60-61)

Material examined. Vientiane: Pak Ngum Dist., Phang Dang Village, 12-13.VI.2010, W. Jaitrong leg. (THNHM, SKYC); same loc. 12-14.VI.2010, Sk. Yamane leg. (SKYC); Naxaythong Dist., Sivilay Village, 7.V.2010, W. Jaitrong leg., WJT10-LAO-233 (THNHM).

Distribution in Laos. Vientiane (new record).

Polyrhachis bellicosa* F. Smith, 1859

Material examined. None.

Distribution in Laos. Bolikhamxay [Ban Van Heue 20km E of Phou-kowkuei] (Hung, 1970).

Remarks. According to Kohout (2014) the populations of continental Asia belong to *P. olybria* Forel, 1912, not to *P. bellicosa*. We have never seen *P. bellicosa* specimens from the Indo-Chinese Peninsula. Although Kohout did not refer to the above-mentioned record from Laos cited by Hung (1970), this record was most probably based on misidentification.

Polyrhachis bicolor* F. Smith, 1858

Material examined. None.


Distribution in Laos. No further record (Ran & Zhou 2013).

Polyrhachis bihamata* (Drury, 1773)

Material examined. Oudomxay: Namo Dist., Mai Naatan (950 m alt.), 22-23.VIII.2004, Y. Ochiai leg. (SKYC).

Distribution in Laos. Luang Prabang, Muang Sai (Santschi 1920b: 174); Muang Pek (Hung 1970: 16; Kohout 2014: 10) and Oudomxay (new record).

***Polyrhachis cryptoceroides* Emery, 1887a** (Figs 62-63)



Figs 92 – 109. 92-93, *Cataulacus granulatus*; 94-95, *Crematogaster aurita*; 96-97, *Crematogaster ferrarii*; 98-99, *Crematogaster modiglianii*; 100-101, *Crematogaster rogenhoferi*; 102-103, *Lophomyrmex lucidus*; 104-105, *Mayriella transfuga*; 106-107, *Meranoplus bicolor*; 108-109, *Monomorium floricola*.

Material examined. Vientiane: Pak Ngum Dist., Phang Dang Village, 14.VI.2010, Sk. Yamane leg., LA10-SKY-127 (THNHM, SKYC).

Distribution in Laos. Vientiane (new record).

Polyrhachis dives* F. Smith, 1857 (Figs 64-65)

Material examined. Bolikhamxay: Lak Sao, 5.IV.1998, 600-700 m alt., H. Fukuda leg. (SKYC, THNHM).

Distribution in Laos. This species was recorded from Laos without further information (Ran & Zhou 2013; Wang et al. 2012; Li 2006). In the present paper we record this species for the first time from Bolikhamxay.

Polyrhachis emmae* Santschi, 1920b

Material examined. None.

Distribution in Laos. Luang Prabang (Santschi 1920b: 175).

***Polyrhachis flavicornis* F. Smith, 1857** (Figs 66-67)

Material examined. Vientiane: Pak Ngum Dist., Phang Dang Village, 14.VI.2010, W. Jaitrong leg., WJT10-LAO-145 (THNHM, SKYC); Naxaythong Dist., Sivilay Village, 11.VI.2010, W. Jaitrong leg., WJT10-LAO-80 (THNHM, SKYC); same loc. and date, Sk. Yamane leg., carton nest on leaf, LA10-SKY-071, -077, -086 (THNHM, SKYC).

Distribution in Laos. Vientiane (new record).

Polyrhachis halidayi* Emery, 1889

Material examined. None.

Distribution in Laos. Vientiane (Yoshitomi *et al.*, 2014), Luang Prabang, Tong-La (Santschi 1920b: 174) and Xieng Khouang (Yoshitomi *et al.* 2014).

Polyrhachis hemiopticoides* Mukerjee, 1930

Material examined. None.

Distribution in Laos. Bolikhamxay (Kohout 2013: 150; locality name is misspelled as Borikhane).

Polyrhachis illaudata* Walker, 1859 (Figs 68-69)

Material examined. Vientiane: Pak Ngum Dist., Phang Dang Village, 13.VI.2010, W. Jaitrong leg. (THNHM).

Distribution in Laos. Vientiane (new record), Ban Khoumkhan and Ban Vangheua [Pakse?] (Mezger & Moreau 2015).

Polyrhachis laevis* F. Smith, 1858 (Figs 70-71)

Material examined. Phong Sali: Huei Pee, 1000 m alt., 18.VIII.2004, Y. Ochiai leg. (THNHM, SKYC).

Distribution in Laos. Phong Sali (new record).

***Polyrhachis phalerata* Menozzi, 1926** (Figs 72-73)

Material examined. Vientiane: Pak Ngum Dist., Phang Dang Village, 14.VI.2010, W. Jaitrong leg., WJT10-LAO-156 (THNHM, SKYC); same loc. and date, Sk. Yamane, carton nest, LA10-SKY-132 (SKYC).

Distribution in Laos. Vientiane (new record). Remarks. *Polyrhachis mucronata* F. Smith, 1859 recorded from Bolaven Plateau and Ban Vangheus by Mezger and Moreau (2015) may be this species or *P. moesta* Emery, 1887. *P. mucronata* is a species ranging from northern Australia through New Guinea to eastern Indonesia (Kohout 2010).

***Polyrhachis proxima* Roger, 1863** (Figs 74-75)

Material examined. Vientiane: Pak Ngum Dist., Phang Dang Village, 12.VI.2010, Sk. Yamane leg., attacked by *Aenictus* (THNHM, SKYC); Naxaythong Dist., Sivilay Village, 10.VI.2010, Sk. Yamane leg. (SKYC); same loc., 11.VI.2010, W. Jaitrong leg. (THNHM).

Distribution in Laos. Vientiane (new record).

***Polyrhachis rufipes* F. Smith, 1858**

Material examined. Vientiane: Pak Ngum Dist., Phang Dang Village, 14.VI.2010, Sk. Yamane leg. (SKYC).

Distribution in Laos. Vientiane (new record).

***Polyrhachis tibialis* F. Smith, 1858-complex** (Figs 76-77)

Material examined. Vientiane: Pak Ngum Dist., Phang Dang Village, 13.VI.2010, W. Jaitrong leg. (THNHM); same loc., 14.VI.2010, Sk. Yamane (SKYC).


Distribution in Laos. Vientiane (new record).

Polyrhachis vitalisi* Santschi, 1920a

Material examined. None.

Distribution in Laos. Muong Pek (Santschi 1920a: 567; 1920b: 175).

MYRMICINAE [17 genera, 37 species, 2 sub-species]



Figs 110 – 127. 110-111, *Monomorium pharaonis*; 112-113, *Paratopula macta*; 114-115, *Pheidole dugasi*; 116-119, *Pheidole hongkongensis*; 120-123, *Pheidole plagiaria*; 124-127, *Pheidole tumida*.

***Cardiocondyla wroughtonii* (Forel, 1890)** (Figs 78-79)

Material examined. **Vientiane:** Naxaythong Dist., Sivilay Village, 11.VI.2010, Sk. Yamane leg., LA10-SKY-070 (THNHM, SKYC).

Distribution in Laos. Vientiane (new record).

***Carebara affinis* (Jerdon, 1851)** (Figs 80-83)

Material examined. **Vientiane:** Pak Ngum Dist., Phang Dang Village, 13.VI.2010, Sk. Yamane leg. (SKYC); same loc., 14.VI.2010, W. Jaitrong leg. (THNHM, SKYC); Naxaythong Dist., Sivilay Village, 9.VI.2010, Sk. Yamane leg., LA10-SKY-010 (SKYC); same loc., 11.VI.2010, W. Jaitrong leg., WJT10-LAO-91 (THNHM).

Distribution in Laos. Vientiane (new record).

***Carebara castanea* F. Smith, 1858** (Figs 84-85)

Material examined. **Vientiane:** Naxaythong Dist., Sivilay Village, 10.VI.2010, W. Jaitrong leg., WJT-LAO-078 (THNHM); same loc., 11.VI.2010, Sk. Yamane leg. (SKYC).

Distribution in Laos. Vientiane (new record).

Carebara castanea augustata* Santschi, 1920b

Material examined. None.

Distribution in Laos. Thatom (Santschi 1920b: 162).

***Carebara diversa* (Jerdon, 1851)** (Figs 86-89)

Material examined. **Vientiane:** Pak Ngum Dist., Phang Dang Village, 14.VI.2010, W. Jaitrong leg. (SKYC, THNHM); same loc. and date, Sk. Yamane leg. (SKYC); Naxaythong Dist., Sivilay Village, 9.VI.2010, Sk. Yamane leg., LA10-SKY-020 (SKYC, THNHM); Hadsaiphong Dist., Dondu Village, 6.V.2010, W. Jaitrong leg., WJT10-LAO-239 (SKYC, THNHM). **Luang Prabang:** Kuangsi Waterfall Park, 16.XII.2015, W. Jaitrong leg., LAO15-WJT-008 (THNHM); Luang Prabang City, 290 m alt., 02.I.2016, Y. Ochiai leg., LA15/16-YO-02 (SKYC).

Distribution in Laos. Vientiane and Luang Prabang (new record).

Carebara diversa laotina* (Santschi, 1920b)

Material examined. None.

Distribution in Laos. Pakvet, Luang Prabang, Thatom (Santschi 1920b: 162).

Carebara petulens* (Santschi, 1920b)

Material examined. None.

Distribution in Laos. Muong Pek (Santschi 1920b: 164, as *Pheidologeton petulens* nov. sp.).

***Carebara pygmaea* (Emery, 1887b)-complex** (Figs 90-91)

Material examined. **Vientiane:** Naxaythong Dist., Sivilay Village, 10.VI.2010, W. Jaitrong leg., WJT-LAO-059 (SKYC, THNHM); same loc. and date, Sk. Yamane leg. (SKYC).

Distribution in Laos. Vientiane (new record).

***Cataulacus granulatus* (Latreille, 1802)** (Figs 92-93)

Material examined. **Vientiane:** Pak Ngum Dist., Phang Dang Village, 14.VI.2010, W. Jaitrong leg. (THNHM, SKYC); Naxaythong Dist., Sivilay Village, 10.VI.2010, W. Jaitrong leg., WJT-LAO-079 (THNHM, SKYC); same loc. and date, Sk. Yamane leg., nest in bamboo stem, LA10-SKY-029 (SKYC); same loc., 11.VI.2010, Sk. Yamane (SKYC); Houi Nyang near Tha Ngon, 26.VIII.2003, Y. Ochiai leg. (SKYC).

Distribution in Laos. Vientiane (new record).

Crematogaster aurita* Karavaiev, 1935 (Figs 94-95)

Material examined. **Vientiane:** Pak Ngum Dist., Phang Dang Village, 12.VI.2010, Sk. Yamane leg., LA10-SKY-99 (SKYC, THNHM); Saythany Dist., Dongdok Village, 6.V.2010, W. Jaitrong leg., WJT10-ALO-203 (THNHM, SKYC); Naxaythong Dist., Sivilay Village, 9.VI.2010, Sk. Yamane leg., LA10-SKY-015 (SKYC); same loc., 10.VI.2010, Sk. Yamane leg., LA10-SKY-032, -041 (SKYC, THNHM); Ang Nam Ngum, 24.VIII.2003, Y. Ochiai leg. (SKYC).

Distribution in Laos. Vientiane (Hosoishi & Ogata 2009a, b).


Crematogaster bouvardi* Santschi, 1920

Material examined. None.

Distribution in Laos. Xiang Mouang (Santschi 1920b: 161; described as var. *salvazai* of *C. walshi* st. *bouvardi*).

***Crematogaster ferrarii* Emery, 1888** (Figs 96-97)

Material examined. **Vientiane:** Naxaythong Dist., Sivilay Village, 10.VI.2010, 10.VI.2010, Sk. Yamane leg., LA10-



Figs 128 – 145. 128-131, *Pheidole yeensis*; 132-133, *Pristomyrmex punctatus*; 134-135, *Proatta butteli*; 136-139, *Solenopsis geminata*; 140-141, *Tetramorium flavipes*; 142-143, *Tetramorium insolens*; 144-145, *Tetramorium lanuginosum*.

SKY-047, -048, -054 (SKYC); same loc. and date, W. Jaitrong leg., WJT10-LAO-051, -076 (SKYC); Hadsaiphong Dist., Dondu Village, 8.V.2010, W. Jaitrong leg., WJT10-LAO-237 (SKYC); Ang Nam Ngun, 24.VIII.2003, Y. Ochiai leg. (SKYC). Phong Sali: Muang Khoua, 22-24.VIII.2005, Y. Ochiai leg. (SKYC).

Distribution in Laos. Phong Sali and Vientiane (new record).

Crematogaster modiglianii* Emery, 1900 (Figs 98-99)

Material examined. Vientiane: Pak Ngum Dist., Phag Dang Village, 13.VI.2010, W. Jaitrong leg., WJT10-LAO-136 (THNHM); same loc., 12.VI.2010, Sk. Yamane leg., LA10-SKY-089 (THNHM, SKYC).

Distribution in Laos. Vang Vieng (Hosoishi et al. 2010) and Vientiane (new record).

Crematogaster quadrigata* Forel, 1911a

Material examined. Vientiane: Pak Ngum Dist., Phag Dang Village, 13.VI.2010, Sk. Yamane leg. (SKYC).

Distribution in Laos. Vientiane (Hosoishi & Ogata 2016).

Crematogaster rogenhoferi* Mayr, 1879-complex (Figs 100-101)

Material examined. Vientiane: Pak Ngum Dist., Phag Dang Village, 12.VI.2010, W. Jaitrong leg., WJT10-LAO-100 (SKYC, THNHM); same loc. and date, Sk. Yamane leg., LA10-SKY-103 (SKYC); same loc. and date, Sk. Yamane leg., night walk (SKYC); Naxaythong Dist., Sivilay Village, 10.VI.2010, W. Jaitrong leg. (THNHM); same loc. and date, Sk. Yamane leg., night walk, LA10-SKY-051 (SKYC). Bolikhamxay: Lak Sao, 600-700 m alt., 2.IV.1998, H. Fukuda leg. (SKYC). **Luang Prabang:** Santi Resort, 16.XII.2015, W. Jaitrong leg., LAO15-WJT-002 (THNHM).

Distribution in Laos. Vientiane, Luang Prabang (new record) and Xieng Khouang (Yoshitomi et al. 2014).

***Crematogaster treubi* Emery, 1896**

Material examined. Vientiane: Pak Ngum Dist., Phag Dang Village, 12.VI.2010, Sk. Yamane leg. (SKYC); Naxaythong Dist., Sivilay Village, 9.VI.2010, Sk. Yamane leg., LA10-SKY-002, -009, -053 (SKYC); same loc. 10.VI.2010, W. Jaitrong leg., WJT10-

LAO-59 (SKYC); Hadsaiphong dist., Dondu Village, 8.V.2010, WJT10-LAO-238 (SKYC).

Distribution in Laos. Vientiane (new record).

Liomyrmex gestroi* (Emery, 1887b)

Material examined. None.

Distribution in Laos. Muong Pek (Santschi, 1920b: 160, as *Liomyrmex aurianus*, synonym of *L. gestroi*).

***Lophomyrmex lucidus* Menozzi, 1930** (Figs 102-103)

Material examined. Vientiane: Naxaythong Dist., Sivilay Village, 7.V.2010, W. Jaitrong leg. (THNHM, SKYC); same loc., 10.VI.2010, W. Jaitrong leg., WJT10-LAO-121 (THNHM); same loc., 11.VI.2010, Sk. Yamane, LA10-SKY-081 (SKYC).

Distribution in Laos. Vientiane (new record).

***Mayriella transfuga* Baroni Urbani, 1977** (Figs 104-105)

Pak Ngum Dist., Phag Dang Village, 13.VI.2010, Sk. Yamane leg. (SKYC).

Distribution in Laos. Vientiane (new record).

Meranoplus bicolor* Guérin-Ménéville, 1844 (Figs 106-107)

Material examined. Vientiane: Naxaythong Dist., Sivilay Village, 9.VI.2010, W. Jaitrong leg. (SKYC); same loc. and date, Sk. Yamane leg. (SKYC); same loc., 10.VI.2010, Sk. Yamane leg., LA10-SKY-038 (THNHM, SKYC). Oudomxay: Namo Dist., Mai Naatan, 26.VIII.2004, Y. Ochiai leg. (SKYC).

Distribution in Laos. Sedone, Pakse (Schödl 1999: 64); Oudomxay and Vientiane (new record).


Meranoplus laeiventris* Emery, 1889

Material examined. None.

Distribution in Laos. 25 km SE Muang Sing (Schödl, 1998: 380).

***Monomorium floricola* (Jerdon, 1851)** (Figs 108-109)

Material examined. Vientiane: Naxaythong Dist., Sivilay Village, 7.V.2010, W. Jaitrong leg., WJT10-LAO-255 (THNHM, SKYC); Hadsaiphong Dist., Thana Village, 7.V.2010, W. Jaitrong leg. (THNHM, SKYC); Saytharry dist., Dongdock Village, 6.V.2010, W. Jaitrong leg. (SKYC).



Figs 146 – 163. 146-149, *Tetramorium polymorphum*; 150-151, *Tetramorium smithi*; 152-153, *Trichomyrmex destructor*; 154-155, *Anochetus graeffei*; 156-157, *Brachyponera chinensis*; 158-159, *Centromyrmex feae*; 160-161, *Diacamma longitudinale*; 162-163, *Diacamma rugosum*.

Distribution in Laos. Vientiane (new record) and no locality (Rapusas et al. 2006).

***Monomorium pharaonis* (Linnaeus, 1758)** (Figs 110-111)

Material examined. Vientiane: Naxaythong Dist., Sivilay Village, 9.VI.2010, W. Jaitrong leg. (THNHM); Hadsaiphong Dist., Thana Village, 6.V.2010, W. Jaitrong leg., WJT10-LAO-210 (THNHM, SKYC).

Distribution in Laos. Vientiane (new record).

***Paratopula macta* Bolton, 1988** (Figs 112-113)

Material examined. Vientiane: Pak Ngum Dist., Phang Dang Village, 14.VI.2010, W. Jaitrong leg. (THNHM, SKYC).

Distribution in Laos. Vientiane (new record).

***Pheidole dugasi* Forel, 1911b** (Figs 114-115)

Material examined. Vientiane: Naxaythong Dist., Sivilay Village, 9.VI.2010, Sk. Yamane leg. (THNHM).

Distribution in Laos. Vientiane (new record).

***Pheidole hongkongensis* Wheeler, 1928** (Figs 116-119)

Material examined. Vientiane: Naxaythong Dist., Sivilay Village, 10.VII.2010, Sk. Yamane, LA10-SKY-046 (SKYC); same loc., 11.VI.2010, W. Jaitrong leg., WJT10-LAO-125 (THNHM, SKYC).

Distribution in Laos. Vientiane (new record).

Pheidole plagiaria* F. Smith, 1860b (Figs 120-123)

Material examined. Vientiane: Pak Ngum Dist., Phang Dang Village, 12.VI.2010, W. Jaitrong leg., WJT10-LAO-116 (THNHM, SKYC).

Distribution in Laos. Vientiane (new record) and Xieng Khouang (Yoshitomi et al. 2014).

***Pheidole tumida* Eguchi, 2008** (Figs 124-127)

Material examined. Vientiane: Pak Ngum Dist., Phang Dang Village, 14.VI.2010, W. Jaitrong leg., WJT10-LAO-147 (THNHM); same loc., 14.VI.2010, Sk. Yamane leg., LA10-SKY-120 (SKYC, THNHM); Naxaythong Dist., Sivilay Village, 11.VI.2010, W. Jaitrong leg., WJT10-LAO-82 (THNHM); same loc., 11.VI.2010, W. Jaitrong leg., WJT10-LAO-98 (THNHM).

Distribution in Laos. Vientiane (new record).

***Pheidole yeensis* Forel, 1902** (Figs 128-131)

Material examined. Vientiane: Naxaythong

Dist., Sivilay Village, 7.V.2010, W. Jaitrong leg., WJT10-LAO-234 (THNHM). **Luang Prabang:** Santi Resort, 17.XII.2015, W. Jaitrong leg., LAO15-WJT-007 (THNHM).

Distribution in Laos. Vientiane and Luang Prabang (new record).

Pristomyrmex punctatus* (F. Smith, 1860b) (Figs 132-133)

Material examined. Vientiane: Naxaythong Dist., Sivilay Village, 7.V.2010, W. Jaitrong leg., WJT10-LAO-226 (SKYC, THNHM); same loc., 9.VI.2010, W. Jaitrong leg., WJT10-LAO-30 (SKYC, THNHM); same loc., 11.VI.2010, Sk. Yamane leg. (SKYC).

Distribution in Laos. Muong Pek (Santschi 1920b: 160, as *Pristomyrmex japonicus* Forel, 1900 junior synonym of *P. punctatus*); Vientiane (new record).

***Proatta butteli* Forel, 1912** (Figs 134-135)

Material examined. Vientiane: Pak Ngum Dist., Phang Dang Village, 12.VI.2010, W. Jaitrong leg. (THNHM); Naxaythong Dist., Sivilay Village, 10.VI.2010, W. Jaitrong leg., WJT10-LAO-70 (THNHM); same loc., 10.VI.2010, Sk. Yamane leg., LA10-SKY-042 (THNHM, SKYC); same loc., 11.VI.2010, Sk. Yamane leg. (SKYC).

Distribution in Laos. Vientiane (new record).

***Recurvidris recurvispinosa* (Forel, 1890)**

Material examined. Pak Ngum Dist., Phang Dang Village, 13.VI.2010, Sk. Yamane leg. (SKYC).

Distribution in Laos. Vientiane (new record).


Solenopsis geminata* (Fabricius, 1804) (Figs 136-139)

Material examined. Vientiane: Pak Ngum Dist., Phang Dang Village, 12.VI.2010, Sk. Yamane leg. (SKYC); same loc., 14.VI.2010, W. Jaitrong leg. (THNHM); Naxaythong Dist., Sivilay Village, 9.VI.2010, W. Jaitrong leg., WJT10-LAO-33 (THNHM, SKYC); Hadsaiphong Dist., Thana Village, 6.V.2010, W. Jaitrong leg. (THNHM); Sornuek Guesthouse, 3.VII.2012, D. Pick leg., #347 (MCZC).

Distribution in Laos. Luang Prabang (Santschi, 1920b: 161); Vientiane (new record).

***Tetramorium flavipes* Emery, 1893** (Figs 140-141)

Material examined. Vientiane: Pak Ngum



Figs 164 – 181. 164-165, *Ectomomyrmex leeuwenhoekii*; 166-167, *Harpegnathos venator*; 168-169, *Leptogenys diminuta*; 170-171, *Leptogenys hysterica*; 172-173, *Leptogenys kraepelini*; 174-175, *Pseudoneoponera rufipes*; 176-177, *Odontomachus rixosus*; 178-179, *Odontomachus simillimus*; 180-181, *Odontoponera denticulata*.

Dist., Phang Dang Village, 12.VI.2010, Sk. Yamane leg. (SKYC); same loc. and date, W. Jaitrong leg. (SKYC); Naxaythong Dist., Sivilay Village, 9.VI.2010, W. Jaitrong leg., WJT10-LAO-043 (THNHM, SKYC); same loc. and date, Sk. Yamane leg., ex termite mound, LA10-SKY-022, -24 (SKYC); same loc., 10.VI.2010, W. Jaitrong leg., WJT10-LAO-064 (THNHM); same loc. and date, Sk. Yamane leg., nest under log, LA10-SKY-055); same loc., 12.VI.2010, Sk. Yamane leg., rotting wood, LA10-SKY-093, -102 (SKYC).

Distribution in Laos. Vientiane (new record).

***Tetramorium insolens* (F. Smith, 1861)** (Figs 142-143)

Material examined. Vientiane: Naxaythong Dist., Sivilay Village, 9.VI.2010, W. Jaitrong leg., WJT-LAO-31, -039 (THNHM, SKYC); same loc. and date, Sk. Yamane leg., ex termite mound, LA10-SKY-014, -026 (SKYC); same loc., 10.VI.2010, W. Jaitrong leg., WJT10-LAO-062 (THNHM).

Distribution in Laos. Vientiane (new record).

***Tetramorium lanuginosum* Mayr, 1870** (Figs 144-145)

Material examined. Vientiane: Naxaythong Dist., Sivilay Village, 9.VI.2010, W. Jaitrong leg., WJT10-LAO-045 (THNHM); same loc. and date, Sk. Yamane leg. (SKYC). **Phong Sali:** Phongsali Hotel, 15.VIII.2012, D. Pick leg., #348 (MCZC).

Distribution in Laos. Vientiane and Phong Sali (new record).

Tetramorium polymorphum* Yamane et Jaitrong, 2011 (Figs 146-149)

Material examined. Vientiane: Pak Ngum Dist., Phang Dang Village, 12.VI.2010, W. Jaitrong leg., WJT10-LAO-114 (THNHM, SKYC, type series); same colony, Sk. Yamane leg. LA10-SKY-100 (THNHM, SKYC, type series).

Distribution in Laos. Vientiane (Yamane & Jaitrong 2011: 68).

***Tetramorium smithi* Mayr, 1879** (Figs 150-151)

Material examined. Hadsaiphong Dist., Thana Village, 6.V.2010, W. Jaitrong leg. (THNHM).

Distribution in Laos. Vientiane (new record).

***Trichomyrmex destructor* (Jerdon, 1851)** (Figs 152-153)

Material examined. Vientiane: Naxaythong Dist., Sivilay Village, 10.VI.2010, W. Jaitrong leg., WJT10-LAO-120 (THNHM, SKYC); same loc., 10.VI.2010, Sk. Yamane leg., LA10-SKY-059, -133 (THNHM, SKYC). **Phong Sali:** Phongsali Hotel, 15.VIII.2012, D. Pick leg., #348 (MCZC). **Bolikhamsay:** Lak Sao, 600-700 m alt., 2.IV.1998, H. Fukuda leg. (THNHM, SKYC).

Distribution in Laos. Bolikhamsay, Vientiane and Phong Sali (new record).

PONERINAE [11 genera, 20 species]

***Anochetus graeffei* Mayr, 1870** (Figs 154-155)

Material examined. Vientiane: Naxaythong Dist., Sivilay Village, 10.VI.2010, W. Jaitrong leg. (THNHM); same loc., 11.VI.2010, Sk. Yamane leg., ex soil, LA10-SKY-036 (SKYC); same loc., 5.V.2010, W. Jaitrong leg., WJT10-LAO30 (SKYC); Pak Ngum Dist., Phang Dang Village, 12.VI.2010, Sk. Yamane leg., LA10-SKY-094 (THNHM, SKYC).

Distribution in Laos. Vientiane (new record).

***Brachyponera chinensis* (Emery, 1895)-complex** (Figs 156-157)

Material examined. Vientiane: Pak Ngum Dist., Phang Dang Village, 13.VI.2010, W. Jaitrong leg., WJT10-LAO-128 (THNHM); Naxaythong Dist., Sivilay Village, 11.VI.2010, Sk. Yamane leg., LA10-SKY-075 (THNHM, SKYC).

Distribution in Laos. Vientiane (new record).

Brachyponera luteipes* Mayr, 1862

Material examined. None.


Distribution in Laos. Tuong La (Santschi 1920b: 159, cited as *Euponera* (*Brachyponera*) *luteipes*).

***Centromyrmex feae* (Emery, 1889)** (Figs 158-159)

Vientiane: Naxaythong Dist., Sivilay Village, 10.VI.2010, W. Jaitrong leg., WJT10-LAO-63 (THNHM); same loc. and date, Sk. Yamane leg. (SKYC); same loc., 7.V.2010, WJT10-LAO-251 (THNHM, SKYC).

Distribution in Laos. Vientiane (new record).

Diacamma ceylonense orbiculata* Santschi, 1932



Figs 182 – 197. 182-183, *Platythyrea parallela*; 184-185, *Probolomyrmex longiscapus*; 186-187, *Tetraponera al-laborans*; 188-189, *Tetraponera attenuata*; 190-191, *Tetraponera bingami*; 192-193, *Tetraponera nigra*; 194-195, *Tetraponera nitida*; 196-197, *Tetraponera rufonigra*.

Material examined. None.

Distribution in Laos. Luang Prabang (Santschi 1932: 14).

Diacamma holzschuhi* Laciny, Pal et Zettel, 2015

Material examined. None.

Distribution in Laos. Hua Phan (Laciny et al. 2015: 115).

Diacamma longitudinale* Emery, 1889 (Figs 160-161)

Material examined. Vientiane: Naxaythong Dist., Sivilay Village, 10.VI.2010, W. Jaitrong leg., WJT10-LAO-66 (THNHM).

Distribution in Laos. Luang Prabang (Santschi 1920b: 158); Vientiane (new record).

***Diacamma rugosum* (Le Guillou, 1842)** (Figs 162-163)

Material examined. Vientiane: Pak Ngum Dist., Phang Dang Village, 14.VI.2010, W. Jaitrong leg., WJT10-LAO-153 (THNHM); same loc. and date, Sk. Yamane leg., nest under log, LA10-SKY-123 (SKYC).

Distribution in Laos. Vientiane (new record).

Ectomomyrmex leeuwenhoekii* (Forel, 1886) (Figs 164-165)

Material examined. Vientiane: Pak Ngum Dist., Phang Dang Village, 12.VII.2010, Sk. Yamane leg., surface soil, LA10-SKY-088 (SKYC); same loc., 14.VI.2010, W. Jaitrong leg., WJT10-LAO-155 (THNHM, SKYC). Phong Sali, Khoua, Hoei Pee (1000 m alt.), 19.VIII.2004, Y. Ochiai leg. (SKYC).

Distribution in Laos. Phong Sali and Vientiane (Jaitrong et al. 2011: 319, cited as *Pachycondyla leeuwenhoekii*, prey of *Aenictus* cf. *dentatus*).

***Harpegnathos venator* F. Smith, 1858** (Figs 166-167)

Material examined. Phong Sali: Khoa, Huei Pee, 1000 m alt., 19.VIII.2004, Y. Ochiai leg. (THNHM).

Distribution in Laos. Phong Sali (new record).

***Leptogenys diminuta* (F. Smith, 1857)-complex** (Figs 168-169)

Material examined. Vientiane: Pak Ngum Dist., Phang Dang Village, 14.VI.2010, W. Jaitrong leg. (THNHM); same loc. and date, Sk. Yamane leg. (SKYC).

Distribution in Laos. Vientiane (new record).

***Leptogenys hysterica* Forel, 1900b** (Figs 170-171)

Material examined. Vientiane: Pak Ngum Dist., Phang Dang Village, 14.VI.2010, W. Jaitrong leg., WJT10-LAO-149 (THNHM, SKYC); same loc. and date, Sk. Yamane leg. (SKYC); Naxaythong Dist., Sivilay Village, 7.V.2010, W. Jaitrong leg., WJT10-LAO-223 (THNHM, SKYC).

Distribution in Laos. Vientiane (new record).

Leptogenys khammouanensis* Roncin et Deharveng, 2003

Material examined. None.

Distribution in Laos. Khammouan (Roncin & Deharveng 2003: 920).

Remarks. This is a unique species specialized in caves.

***Leptogenys kraepelini* Forel, 1905** (Figs 172-173)

Material examined. Vientiane: Pak Ngum Dist., Phang Dang Village, 13.VI.2010, rotting wood, Sk. Yamane leg., LA10-SKY-110 (SKYC); same loc. 14.VI.2010, W. Jaitrong leg. (THNHM).

Distribution in Laos. Vientiane (new record).

Odontomachus monticola* Emery, 1892

Material examined. Oudomxay: Namo Dist., Mai Naatan, 950 m alt., 21-26.VIII.2004, Y. Ochiai leg. (THNHM, SKYC).

Distribution in Laos. Muong Pek (Santschi 1920b: 159) and Oudomxay (new record).

***Odontomachus rixosus* F. Smith, 1857** (Figs 176-177)

Material examined. Vientiane: Pak Ngum Dist., Phang Dang Village, 12.VI.2010, Sk. Yamane leg., LA10-SKY-098 (THNHM, SKYC); Naxaythong Dist., Sivilay Village, 9.VI.2010, W. Jaitrong leg., WJT10-LAO-38 (THNHM, SKYC).

Distribution in Laos. Vientiane (new record).

***Odontomachus simillimus* F. Smith, 1858** (Figs 178-179)

Material examined. Vientiane: Had-saiphong Dist., Thana Village, 6.V.2010, W. Jaitrong leg., WJT10-LAO-205 (THNHM, SKYC).

Distribution in Laos. Vientiane (new record).

Odontoponera denticulata* (F. Smith, 1858) (Figs 180-181)

Material examined. Vientiane: Pak Ngum Dist., Phang Dang Village, 14.VI.2010,

W. Jaitrong leg. (THNHM); same loc. and date, Sk. Yamane leg. (SKYC); Naxaythong Dist., Sivilay Village, 9.VI.2010, Sk. Yamane leg. (SKYC); some loc., 10.VI.2010, W. Jaitrong leg. (THNHM); Houi Nyang near Tha Ngon, 26.VIII.2003, Y. Ochiai leg. (SKYC). **Oudomxay:** Namong Dist., Mai Naatan, 26.VIII.2004, Y. Ochiai leg. (THNHM, SKYC). **Phong Sali:** Khoua, Huei Pee, 1000 m alt., 19.VIII.2004, Y. Ochiai leg., (THNHM, SKYC); Muang Khoua, 22-24.VIII.2005, Y. Ochiai leg. (THNHM, SKYC). **Luang Prabang:** Kuangsi Waterfall Park, 16.XII.2015, W. Jaitrong leg. (THNHM).

Remarks. Lao specimens (Lat-Hom and Luang Prabang) cited as *Odontoponera transversa* (F. Smith, 1857) in Santschi (1920b) should be reidentified as *O. denticulata* (sensu Yamane 2009).

Distribution in Laos. Vientiane, Oudomxay Phong Sali and Luang Prabang.

***Platythyrea parallela* (F. Smith, 1859)** (Figs 182-183)

Material examined. Vientiane: Pak Ngum Dist., Phang Dang Village, 14.VI.2010, W. Jaitrong leg. (THNHM, SKYC); Naxaythong Dist., Sivilay Village, 7.V.2010, W. Jaitrong leg. (THNHM); same loc., 10.VI.2010, Sk. Yamane leg. (SKYC).

Distribution in Laos. Vientiane (new record).

Pseudoneoponera rufipes* (Jerdon, 1851) (Figs 174-175)

Material examined. Vientiane: Pak Ngum Dist., Phang Dang Village, 14.VI.2010, W. Jaitrong leg., WJT10-LAO-144 (THNHM, SKYC); same loc. and date, Sk. Yamane leg. (SKYC); Naxaythong Dist., Sivilay Village, 11.VI.2010, Sk. Yamane leg. (SKYC). **Luang Prabang:** Santi Resort, 17.XII.2015, W. Jaitrong leg. (THNHM).

Distribution in Laos. Thatom (Santschi 1920b: 159, cited as *Pachycondyla (Bothroponera) rufipes*) and Luang Prabang (new record).

PROCERATIINAE [1 genus, 1 species]

***Probolomyrmex longiscapus* Xu et Zeng, 2000** (Figs 184-185)

Material examined. Vientiane: Naxay-

thong Dist., Sivilay Village, 11.VI.2010, W. Jaitrong leg., WJT10-LAO-97 (THNHM); same loc. and date, Sk. Yamane leg., nest in soil, LA10-SKY-078 (SKYC).

Distribution in Laos. Vientiane (new record).

PSEUDOMYRMICINAE [1 genus, 6 species]

Tetraponera allaborans* (Walker, 1859) (Figs 186-187)

Material examined. Vientiane: Naxaythong Dist., Sivilay Village, 9.VI.2010, W. Jaitrong leg., WJT10-LAO-32 (THNHM, SKYC); same loc. and date, Sk. Yamane leg. nest in dead twig, LA10-SKY-003 (SKYC); same loc., 10.VI.2010, W. Jaitrong leg. (THNHM); Hadsaiphong Dist., Thana Village, 6.V.2010, W. Jaitrong loc. (THNHM); Houi Nyang near Tha Ngon, 26.VIII.2003, Y. Ochiai (SKYC).

Distribution in Laos. Bolikhamxay (Ward 2001) and Vientiane (new record).

Tetraponera attenuata* F. Smith, 1877 (Figs 188-189)

Material examined. Vientiane: Pak Ngum Dist., Phang Dang Village, 12.VI.2010, Sk. Yamane leg. (SKYC); same loc., 13.VI.2010, W. Jaitrong leg. (THNHM).

Distribution in Laos. Bolikhamxay [Phou Khao Khouay N.P.] (Ward 2001) and Vientiane (new record).

Tetraponera binghami* (Forel, 1902) (Figs 190-191)

Material examined. Vientiane: Naxaythong Dist., Sivilay Village, 7.V.2010, W. Jaitrong leg., WJT10-LAO-227 (THNHM, SKYC); Hadsaiphong Dist., Dondu Village, 8.V.2010, W. Jaitrong leg., WJT10-LAO-240 (THNHM, SKYC).

Distribution in Laos. Luang Prabang (Santschi 1920b: 160, as *Sima binghami*); Vientiane (new record).

***Tetraponera nigra* (Jerdon, 1851)** (Figs 192-193)

Material examined. Vientiane: Naxaythong Dist., Sivilay Village, 11.VI.2010, W. Jaitrong leg., WJT10-LAO-93 (THNHM, SKYC); same loc. and date, W. Jaitrong leg., WJT10-LAO-123 (THNHM, SKYC); same loc. and date, Sk. Yamane leg., LA10-SKY-085 (SKYC).

Distribution in Laos. Vientiane (new record).
Tetraponera nitida (F. Smith, 1860) (Figs 194-195)

Material examined. Vientiane: Pak Ngum Dist., Phang Dang Village, 14.VI.2010, W. Jaitrong leg. (THNHM).

Distribution in Laos. Vientiane (new record).
Tetraponera rufonigra (Jerdon, 1851)* (Figs 196-197)

Material examined. Vientiane: Naxaythong Dist., Sivilay Village, 10.VI.2010, Sk. Yamane leg. (SKYC); same loc., 11.VI.2010, W. Jaitrong leg., WJT10-LAO-94 (THNHM, SKYC). Oudomxay, Nam, Mai Naatan (950 m alt.), Y. Ochiai leg. (SKYC).

Distribution in Laos. Champasak (Ward 2001: 649); Oudomxay and Vientiane (new record).

ACKNOWLEDGEMENTS

We thank Mr. Cholawit Thongcharoenchaikit and Miss Scarlett Rose McGrail (National Science Museum, Thailand) for reading through an earlier draft of the manuscript. We also thank Dr. Yukino Ochiai (Ryukoku University, Japan) and Mr. Haruo Fukuda (Kagoshima-shi, Japan) for providing us with valuable specimens. Dr. Stefan P. Cover (Museum of Comparative Zoology, Cambridge, Massachusetts, USA) kindly offered us valuable records of some ant species from Laos. EPE was supported by subsidy funding to OIST. Sincere thanks are also extended to one anonymous reviewer, Dr. James Wetterer (Wilkes Honors College, Florida Atlantic University, USA) and Dr. Stefan P. Cover for their valuable comments.

REFERENCES

- antmaps.org, 2016. Downloaded from <http://antmaps.org/> on 2 March 2016.
- Antweb, 2015. Laos ants. Downloaded from <https://www.antweb.org/taxonomicPage.do?rank=genus&project=laosants&ndimages=true&ndngenCache=true&ndstatusSet=valid> on 25 December 2015.
- Antwiki, 2015. Laos ants. Downloaded from <http://www.antwiki.org/wiki/Laos> on 25 December 2015.
- Baroni Urbani C, 1977. Ergebnisse der Bhutan-Expedition 1972 des Naturhistorischen Museums in Basel. Hymenoptera: Fam. Formicidae Genus Mayriella. *Entomologica Basiliensis* 2: 411 – 414.
- Bharti H and Gul I, 2012. *Echinopla cherapunjiensis* sp. n. (Hymenoptera, Formicidae) from India. *Vestnik Zoologii* 46: 371 – 373.
- Bolton B, 1988. A review of *Paratopula* Wheeler, a forgotten genus of myrmicine ants (Hym., Formicidae). *The Entomologist's Monthly Magazine* 124: 125 – 143.
- Bolton B, 2007. Taxonomy of the dolichoderine ant genus *Technomyrmex* Mayr (Hymenoptera: Formicidae) based on the worker caste. *Contribution of the American Entomological Institute* 35(1): 1 – 150.
- Bolton B, 2015. *Bolton World Catalog Ants*. Accessed online at <https://www.antweb.org/project.do?name=worldants> (Accessed 25 December 2015).
- Boulidam, S. 2010. Edible insects in Lao market economy. In P.B. Durst, D.V. Johnson, Leslie, R.L. & K. Shono (eds.) *Forest insects as food: humans bite back, proceedings of a workshop on Asia-Pacific resources and their potential for development*, pp. 131 – 140. Bangkok, Thailande, Bureau régional de la FAO pour l'Asie et le Pacifique.
- Dalla Torre KW von, 1893. *Catalogus Hymenopterorum hucusque descriptorum systematicus et synonymicus*. Vol. 7. Formicidae (Heterogyna). Leipzig, W. Engelmann, 289 pp.
- Dill M, 2002. Taxonomy of the migrating herdsman species of the genus *Dolichoderus* Lund, 1831, with remarks on the systematics of other Southeast-Asian *Dolichoderus*. In: Dill M, Williams DJ, Maschwitz U (eds.) *Herdsman ants and their mealybug partners*, pp. 17 – 113.
- Drury D, 1773. *Illustrations of natural history*. Wherein are exhibited upwards of two hundred and twenty figures of exotic insects, according to their different genera. Vol. 2. London, B. White, vii + 90 pp.
- Eguchi K, 2008. A revision of North Vietnamese species of the ant genus *Pheidole*. *Zootaxa* 1902: 1 – 118.
- Eguchi K, Bui VT, Yamane Sk, Okido H and Ogata K, 2005. Ant fauna of Ba Vi and Tam Dao, North Vietnam (Insecta, Hymenoptera, Formicidae). *Bulletin of the Institute of Tropical Agriculture, Kyushu University* 27 (2004): 77 – 98.

- Eguchi K, Bui TV and Yamane Sk, 2011. Generic synopsis of the Formicidae of Vietnam. Part 1 – Myrmicinae and Pseudomyrmecinae. *Zootaxa* 2878: 1 – 61.
- Eguchi K, Bui TV and Yamane Sk, 2014. Generic synopsis of the Formicidae of Vietnam (Insecta: Hymenoptera), part II—Cerapachyinae, Aenictinae, Dorylinae, Leptanillinae, Amblyoponinae, Ponerinae, Ectatomminae and Proceratiinae. *Zootaxa* 3860: 1 – 46.
- Emery C, 1887a. Catalogo della formiche esistenti nelle collezioni del Museo Civico di Genova . Parte terza. Formiche della regione Indo-Malese e dell' Australia. *Annali del Museo Civico di Storia Naturale di Genova* 4: 209 – 258.
- Emery C, 1887b. Catalogo della formiche esistenti nelle collezioni del Museo Civico di Genova . Parte terza. Formiche della regione Indo-Malese e dell' Australia (continuazione e fine). *Annali del Museo Civico di Storia Naturale di Genova* 5: 427 – 473.
- Emery C, 1888a. Catalogo delle formiche esistenti nelle collezioni del Museo Civico di Genova. Parte terza (supplemento). Formiche raccolte dal sig. Elio Modigliani in Sumatra e nell'isola Nias. *Annali del Museo Civico di Storia Naturale di Genova* 5: 529 – 534.
- Emery C, 1889. Viaggio di Leonardo Fea in Birmania e regioni vicine. 20. Formiche di Birmania e del Tenasserim raccolte da Leonardo Fea (1885 – 87). *Annali del Museo Civico di Storia Naturale di Genova* 7: 485 – 520.
- Emery C, 1892. Voyage de M. Ch. Alluaud dans le territoire d'Assinie (Afrique occidentale) en juillet et août 1886. Formicides. *Annales de la Société Entomologique de France* 60: 553 – 574.
- Emery C, 1893. Voyage de M. E. Simon à l'île de Ceylan (janvier-février 1892). Formicides. *Annales de la Société Entomologique de France* 62: 239 – 258.
- Emery C, 1895. Viaggio di Leonardo Fea in Birmania e regioni vicine. 63. Formiche di Birmania del Tenasserim e dei Monti Carin raccolte da L. Fea. Parte II. *Annali del Museo Civico di Storia Naturale di Genova* 14: 450 – 483.
- Emery C, 1896. Formicides récoltés à Buitenzorg (Java), par M. Massart. *Annales de la Société Entomologique de Belgique* 40: 245 – 249.
- Emery C, 1900. Formiche raccolte da Elio Modigliani in Sumatra, Engano e Mentawai. *Annali del Museo Civico di Storia Naturali di Genova* 20: 721 – 722.
- Emery C, 1925. In: Wytzman, P. *Genera Insectorum*. Hymenoptera. Fam. Formicidae. Subfam. Formicinae. Fasc. 183: 1 – 302.
- Fabricius JC, 1775. *Systema entomologiae, sistens insectorum classes, ordines, genera, species adiectis synonymis, locis, descriptionibus, observationibus*. Flensburgi et Lipsiae, Korte, 832 pp.
- Fabricius JC, 1793. *Entomologia systematica emendata et aucta. Secundum classes, ordines, genera, species, adiectis synonymis, locis observationibus, descriptionibus*. Tome 2. Hafniae [= Copenhagen], C. G. Proft, 519 pp.
- Fabricius JC, 1804. *Systema Piezatorum secundum ordines, genera, species, adiectis synonymis, locis, observationibus, descriptionibus*. Brunswick, C. Reichard, xiv + 15 – 439 + 30 pp.
- Forel A, 1886. Indian ants of the Indian Museum, Calcutta, No. 2. *Journal of the Asiatic Society of Bengal*. Part 2. Natural Science 55: 239 – 249.
- Forel A, 1890. *Aenictus-Typhlatta* découverte de M. Wroughton. Nouveaux genres de Formicides. *Annales de la Société Entomologique de Belgique* 34: cii – cxiv.
- Forel A, 1892a. In: Grandidier, A. *Histoire physique, naturelle et politique de Madagascar* 20. *Histoire naturelle des Hyménoptères*. 2 (Supplément au 28e fascicule). Formicides: 229 – 280.
- Forel A, 1892b. Les Formicides de l'Empire des Indes et de Ceylan. Part 1. *Journal of the Bombay Natural History Society* 7: 219 – 245
- Forel A, 1895. Les Formicides de l'Empire des Indes et de Ceylan. Part 5. *Journal of the Bombay Natural History Society* 9: 453 – 472.
- Forel A, 1900a. Ponerinae et Dorylinae d'Australie récoltés par MM. Turner, Froggatt, Nugent, Chase, Rothney, J.-J. Walker, etc. *Annales de la Société Entomologique de Belgique* 44: 54 – 77.
- Forel A, 1900b. Les Formicides de l'Empire des Indes et de Ceylan. Part 7. *Journal of the Bombay Natural History Society* 13: 303 – 332.
- Forel A, 1901. Les Formicides de l'Empire des Indes et de Ceylan. Part 8. *Journal of the Bombay Natural History Society* 13: 462 – 477.
- Forel A, 1902. Myrmicinae nouveaux de l'Inde et de Ceylan. *Revue Suisse de Zoologie* 10: 165 – 249.
- Forel A, 1905. Ameisen aus Java. Gesammelt von Prof. Karl Kraepelin, 1904. *Mitteilungen aus dem Naturhistorischen Museum, Hamburgischen* 22: 1 – 26.

- Forel A, 1911a. Sur le genre *Metapone* n. g. nouveau groupe des Formicidae et sur quelques autres formes nouvelles. *Revue Suisse de Zoologie* 19: 445 – 459.
- Forel A, 1911b. Ameisen aus Ceylon, gesammelt von Prof. K. Escherich (einige von Prof. E. Bugnion). In: Escherich, K. *Termitenleben auf Ceylon*, pp. 215 – 228. Jena: Gustav Fischer.
- Forel A, 1912. Descriptions provisoires de genres, sous-genres et espèces de Formicidae des Indes orientales. *Revue Suisse de Zoologie* 20: 761 – 774.
- Guénard B and Dunn RR, 2012. A checklist of the ants of China. *Zootaxa* 3558: 1 – 77.
- Guénard B, Weiser MD and Dunn RR, 2012. Global models of ant diversity suggest regions where new discoveries are most likely are under disproportionate deforestation threat. *Proceedings of the National Academy of Sciences USA* 109(19): 7368 – 7373.
- Guérin-Méneville FE, 1844. *Iconographie du règne animal de G. Cuvier, ou représentation d'après nature de l'une des espèces les plus remarquables, et souvent non encore figurées, de chaque genre d'animaux. Insectes*. Paris: JB Baillière, 576 pp.
- Hannan Md, 2007. Ants collected in Savar, Dhaka, Bangladesh in 2005. *Asian Myrmecology* 1: 101 – 104.
- Hosoishi S and Ogata K, 2009a. A taxonomic revision of the Asian endemic subgenus *Physocrema* of the genus *Crematogaster* (Hymenoptera: Formicidae). *Zootaxa* 2062: 15 – 36.
- Hosoishi S and Ogata K, 2009b. A check list of the ant genus *Crematogaster* in Asia (Hymenoptera: Formicidae). *Bulletin of the Institute of Tropical Agriculture Kyushu University* 32: 43 – 83.
- Hosoishi S and Ogata K, 2016. Systematics and biogeography of the ant genus *Crematogaster* Lund subgenus *Orthocrema* Santschi in Asia (Hymenoptera: Formicidae). *Zoological Journal of the Linnean Society* 176: 547 – 606.
- Hosoishi S, Yamane Sk and Ogata K, 2010. An evaluation of infraspecific names in *Crematogaster* (*Paracrema*) *modiglianii* Emery, 1900 based on nest series (Hymenoptera: Formicidae). *Myrmecological News* 14: 123 – 128.
- Hosoishi S, Le A Ngoc, Yamane Sk and Ogata K, 2013. Ant diversity in rubber plantations (*Hevea brasiliensis*) of Cambodia (Hymenoptera: Formicidae). *Asian Myrmecology* 5: 69 – 99.
- Hung ACF, 1970. A revision of ants of the subgenus *Polyrhachis* Fr. Smith (Hymenoptera: Formicidae: Formicinae). *Oriental Insects* 4: 1 – 36.
- Itterbeeck J, Sivongzay N, Praxaysombath B and van Huis A, 2014. Indigenous knowledge of the edible weaver ant *Oecophylla smaragdina* Fabricius Hymenoptera: Formicidae from the Vientiane Plain, Lao PDR. *Ethnobiology Letters* 5: 4-12.
- Jerdon TC, 1851. A catalogue of the species of ants found in Southern India. *Madras Journal of Literature and Science* 17: 103 – 127.
- Jaitrong W and Nabhitabhata J, 2005. A list of known ant species of Thailand (Formicidae: Hymenoptera). *The Thailand Natural History Museum Journal* 1(1): 9 – 54.
- Jaitrong W and Yamane Sk, 2011. Synopsis of *Aenictus* species groups and revision of the *A. currax* and *A. laeviceps* groups in the eastern Oriental, Indo-Australian, and Australasian regions (Hymenoptera: Formicidae: Aenictinae). *Zootaxa* 3128: 1 – 46.
- Jaitrong W and Yamane Sk, 2012. Review of the Southeast Asian species of the *Aenictus javanus* and *Aenictus philippinensis* species groups (Hymenoptera, Formicidae, Aenictinae). *ZooKeys* 193: 49 – 78.
- Jaitrong W and Yamane Sk, 2013. The *Aenictus ceylonicus* species group (Hymenoptera, Formicidae, Aenictinae) from Southeast Asia. *Journal of Hymenoptera Research* 31: 165 – 233.
- Jaitrong W, Yamane Sk and Chanthalangsy N, 2011. The ant genus *Aenictus* from Laos, with description of a new species (Hymenoptera: Formicidae: Aenictinae). *Journal of Asia-Pacific Entomology* 14: 317 – 322.
- Jaitrong W, Yamane Sk. and Tasen W, 2012. A sibling species of *Aenictus dentatus* Forel, 1911 (Hymenoptera: Formicidae) from continental Southeast Asia. *Myrmecological News* 16: 133 – 138.
- Janicki J, Narula N, Ziegler M, Guénard B and Economo EP, 2016. Visualizing and interacting with large-volume biodiversity data using client-server web-mapping applications: The design and implementation of antmaps.org. *Ecological Informatics* 32: 185 – 193.
- Karavaiev V, 1935. Neue Ameisen aus dem Indo-Australischen Gebiet, nebst Revision einiger Formen. *Treubia* 15: 57 – 118.
- Kohout RJ, 2010. A review of the Australian *Polyrhachis* ants of the subgenera *Myrmhopla* Forel and *Hirtomyrma* subgen nov. (Hymenoptera: Formicidae: Formicinae). *Memoirs of the Queensland Museum–Nature* 55: 167 – 204.

- Kohout RJ, 2013. A review of the *Polyrhachis aculeate* species-group of the subgenus *Myrma* Billberg (Hymenoptera: Formicidae: Formicinae), with keys and descriptions of new species. *Australian Entomologist* 40: 137 – 171.
- Kohout RJ, 2014. A review of the subgenus *Polyrhachis* Fr. Smith (Hymenoptera: Formicidae: Formicinae) with keys and description of a new species. *Asian Myrmecology* 6: 1 – 31.
- Laciny A, Pal A and Zettel H, 2015. Taxonomic notes on the ant genus *Diacamma* Mayr, 1862 (Hymenoptera: Formicidae), part 1. *Zeitschrift der Arbeitsgemeinschaft Österreichischer Entomologen* 67: 83 – 136.
- Latreille PA, 1802. *Histoire naturelle des fourmis, et recueil de mémoires et d'observations sur les abeilles, les araignées, les faucheurs, et autres insectes*. Paris, Impr. Crapelet (chez T. Barrois), xvi + 445 pp.
- Le Guillou EJJ, 1842. Catalogue raisonné des insectes hyménoptères recueillis dans le voyage de circumnavigation des corvettes l'Astrolabe et la Zélée. *Annales de la Société Entomologique de France* 10: 311 – 324.
- Li Zh, 2006. *List of Chinese Insects*. Volume 4. Sun Yat-sen University Press.
- Linnaeus C, 1758. *Systema naturae per regna tria naturae, secundum classes, ordines, genera, species, cum characteribus, differentiis, synonymis, locis*. Tomus I. Editio decima, reformata. Holmiae [= Stockholm]: L. Salvii, 824 pp.
- Liu C, Guénard B, Hita Garcia F, Yamane Sk, Blanchard B and Economo EP, 2015. New records of ant species from Yunnan, China. *Zookeys* 477: 17 – 68.
- Mayr G, 1862. Myrmecologische Studien. *Verhandlungen der k.k. Zoologisch-Botanischen Gesellschaft in Wien* 12: 649 – 776.
- Mayr G, 1865. *Reise der Österreichischen Fregatte Novara um die Erde in den Jahren 1857, 1858, 1859, unter den Befehlen des Commodore B. von Wüllerstorff-Urbair*. Zoologischer Theil. Formicidae, Wien, 119 pp.
- Mayr G, 1870. Neue Formiciden. *Verhandlungen der k.k. Zoologisch-Botanischen Gesellschaft in Wien* 20: 939 – 996.
- Mayr G, 1879. Beiträge zur Ameisen-Fauna Asiens. *Verhandlungen der k.k. Zoologisch-Botanischen Gesellschaft in Wien* 28 (1878): 645 – 686.
- Menozzi C, 1926. Nuove formiche delle isole Filippine e di Singapore. *Atti della Società dei Naturalisti e Matematici di Modena* 4: 92 – 103.
- Menozzi C, 1930. Formicidae (pp. 327-332). In: Entomologische Ergebnisse einer Reise nach Ostasien (Eidmann H, ed.). *Verhandlungen der Zoologisch-Botanischen Gesellschaft in Wien* 79: 308–335.
- Mukerjee D, 1930. Report on a collection of ants in the Indian Museum, Calcutta. *Journal of the Bombay Natural History Society* 34: 149 – 163
- Pfeiffer M, Mezger D, Hosoishi S, Bakhtiar EY and Kohout RJ, 2011. Formicidae of Borneo (Insecta: Hymenoptera): a preliminary species list. *Asian Myrmecology* 4: 9 – 58.
- Rapusas HR, Schiller JM, Heong KL, Barrio, AT, Sengsoulvong V, Inthavong S, and Inthavong K, 2006. Arthropod communities of the lowland rice ecosystems in the Lao PDR. In: Schiller (ed.) *Rice in Laos*, pp. 235 – 264.
- Ran H and Zhou SY, 2013. Checklist of Chinese Ants: Formicomorph Subfamilies (Hymenoptera: Formicidae) (III). *Journal of Guangxi Normal University: Natural Science Edition* 31(1): 104 – 111.
- Roger J 1863. Die neu aufgeführten Gattungen und Arten meines Formiciden-Verzeichnisses nebst Ergänzung einiger früher gegebenen Beschreibungen. *Berliner Entomologische Zeitschrift* 7: 131 – 214.
- Roncin E and Deharveng L, 2003. *Leptogenys khammouanensis* sp. nov. (Hymenoptera: Formicidae). A possible troglolitic species of Laos, with a discussion on cave ants. *Zoological Science* 20: 919 – 924.
- Santschi F, 1920a. Fourmis d'Indo-Chine. *Annales de la Société Entomologique de Belgique* 60: 158 – 176.
- Santschi F, 1920b. Quelques nouveaux Camponotinae d'Indochine et Australie. *Bulletin de la Société Vaudoise des Sciences Naturelles* 52: 565 – 569.
- Santschi F, 1924. Fourmis d'Indochine. *Opuscles de l'Institut Scientifique de l'Indochine* 3: 95 – 117.
- Santschi F. 1932. Résultats scientifiques du voyage aux Indes orientales néerlandaises de LLAARR le Prince et la Princesse Léopold de Belgique. Hymenoptera. Formicidae. *Mémoires du Musée Royal d'Histoire Naturelle de Belgique* 4 : 11 – 29.
- Schmidt CA and Shattuck SO, 2014. The higher classification of the ant subfamily Ponerinae (Hymenoptera: Formicidae), with a review of ponerine ecology and behavior. *Zootaxa* 3817: 1 – 242.
- Schödl S, 1998. Taxonomic revision of Oriental *Meranoplus* F. Smith, 1855 (Insecta: Hymenoptera: Formicidae: Myrmicinae). *Annalen des Naturhistorischen Museums in Wien* 100: 361 – 394.

- Schödl S, 1999. Description of *Meranoplus birmanus* sp. nov. from Myanmar, and the first record of *M. bicolor* from Laos (Hymenoptera: Formicidae). *Entomological Problems* 30: 61 – 65.
- Smith, F. 1857. Catalogue of the hymenopterous insects collected at Sarawak, Borneo; Mount Ophir, Malacca; and at Singapore, by A. R. Wallace. *Journal of the Proceedings of the Linnean Society of London, Zoology* 2: 42 – 88.
- Smith F, 1858. *Catalogue of hymenopterous insects in the collection of the British Museum*. Part VI. Formicidae. London, British Museum, 216 pp.
- Smith F, 1859. Catalogue of hymenopterous insects collected by Mr. A. R. Wallace at the islands of Aru and Key. *Journal of the Proceedings of the Linnean Society of London, Zoology* 3: 132 – 158.
- Smith F, 1860a. Descriptions of new species of hymenopterous insects collected by Mr. A. R. Wallace at Celebes. *Journal of the Proceedings of the Linnean Society of London, Zoology* 5 (suppl. to vol. 4): 57 – 93.
- Smith F, 1860b. Catalogue of hymenopterous insects collected by Mr. A. R. Wallace in the islands of Bachian, Kaisaa, Amboyna, Gilolo, and at Dory in New Guinea. *Journal of the Proceedings of the Linnean Society, Zoology* 5 (supplement to volume 4): 93 – 143.
- Smith F, 1861. Catalogue of hymenopterous insects collected by Mr. A. R. Wallace in the islands of Ceram, Celebes, Ternate, and Gilolo. *Journal of the Proceedings of the Linnean Society, Zoology* 6: 36 – 48.
- Smith F, 1877. Descriptions of new species of the genera *Pseudomyrma* and *Tetraoponera*, belonging to the family Myrmicidae. *Transactions of the Entomological Society of London* 10: 57 – 72.
- Terayama M and Kubota S, 1993. The army ant genus *Aenictus* (Hymenoptera: Formicidae) from Thailand and Viet Nam, with descriptions of three new species. *Bulletin of the Biogeographical Society of Japan* 48: 68 – 72.
- Walker F, 1859. Characters of some apparently undescribed Ceylon insects. [part]. *Annals and Magazine of Natural History* 3(4): 370 – 376.
- Wang WR, Zhang SQ and Xu, Z.H. 2012. A faunistic and taxonomic study of ants (Hymenoptera: Formicidae) in Shenzhen Municipality. *Journal of Southwest Forestry University* 32(1): 64 – 73.
- Ward P, 2001. Taxonomy, phylogeny and biogeography of the ant genus *Tetraoponera* (Hymenoptera: Formicidae) in the Oriental and Australian regions. *Invertebrate Taxonomy* 15: 589 – 665.
- Westwood JO, 1835. "...Specimens were exhibited, partly from the collection of the Rev. F. W. Hope, and partly from that of Mr. Westwood, of various Hymenopterous insects, which Mr. Westwood regarded as new to science". *Proceedings of the Zoological Society of London* 3: 68 – 72.
- Wheeler WM, 1928. Ants collected by Professor F. Silvestri in China. *Bolletino del Laboratorio di Zoologia Generale e Agraria del R. Istituto Superiore Agrario de Portici* 22: 3 – 38.
- Xu, Z.-H.; Zeng, G. 2000. Discovery of the worker caste of *Platythyrea clypeata* Forel and a new species of *Probolomyrmex* Mayr in Yunnan, China. *Entomologia Sinica*. 7: 213 – 217.
- Yamane Sk, 2009. *Odontoponera denticulata* (F. Smith) (Formicidae: Ponerinae), a distinct species inhabiting disturbed areas. *Ari* 32: 1 – 8.
- Yamane Sk, Bui VT, Ogata K, Okido H and Eguchi K, 2003. Ant fauna of Cuc Phuong National Park, North Vietnam (Hymenoptera: Formicidae). *Bulletin of the Institute of Tropical Agriculture, Kyushu University* 27 (2002): 51 – 62.
- Yamane Sk and Jaitrong W, 2011. A first species of *Tetramorium* (Hymenoptera, Formicidae, Myrmicinae) with a polymorphic worker caste. *Insect Matsumurana* NS 67: 61 – 74.
- Yhounng-Aree J and Viwatpanich K, 2005. Edible insects in the Laos PDR, Myanmar, Thailand, and Vietnam. In: Paoletti MG (ed.) *Ecological Implications of Minilivestock*, Science Publishers, Inc., Enfield, pp. 415 – 440.
- Yoshitomi H, Yamane Sk and Truong XL, 2014. Collecting records of aphids (Hemiptera, Aphididae) in northern Vietnam and Laos. *Japanese Journal of Systematic Entomology* 20: 155-158.
- Zettl H and Laciny A, 2015. Contributions to the taxonomy of the ant genus *Echinopla* Smith, 1858 (Hymenoptera, Formicidae). *Deutsche Entomologische Zeitschrift* 62: 101-121.
- Zhou S, 2001. *Ants of Guangxi*. Guangxi Normal University Press, Guilin, China, 255 pp.

ASIAN MYRMECOLOGY

A Journal of the International Network for the Study of Asian Ants

Communicating Editor: Dirk Mezger